

STAMMOPUR DR 8

Print date: 25.02.2010

No.: 83005

Page 1 of 4

1. Identification of the substance/preparation and of the company/undertaking**Identification of the substance or preparation**

STAMMOPUR DR 8

Use of the substance/preparation

disinfectants. Disinfection and intensive cleaning of instruments, concentrate.

*Restricted to professional users.

Company/undertaking identification

Company name :	DR.H.STAMM GmbH	Responsible Department :	
Street :	Heinrichstr. 3-4	Telephone :	+49-(0)30-768 80-258
Place :	D-12207 Berlin	e-mail :	sdb@dr-stamm.de
Telephone :	+49-(0)30-768 80-280	Emergency telephone :	+49-(0)30-768 80-280
Internet :	www.dr-stamm.de		

Further Information

24-hours-emergency: Giftnotruf Berlin: +49-(0)30-30686790 (german, english)

2. Hazards identification**Classification**

Indications of danger : Corrosive, Harmful

R-phrases:

Harmful if swallowed.

Causes burns.

3. Composition/information on ingredients**Chemical characterization (Mixture)****Hazardous components**

EC-No.	CAS-No.	Components	Quantity	Classification
213-791-2	7732-18-5	Water	20-30 %	
203-786-5	110-63-4	Butane-1,4-diol	15-25 %	Xn R22
203-961-6	112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	10-20 %	Xi R36
219-145-8	2372-82-9	N,N-Bis(3-aminopropyl)dodecylamine	9,9 %	C, Xn, N R22-35-50
	*94667-33-1	Didecylmethylammoniumpropionate	8,4 %	C, Xn, N R22-34-50
201-196-2	79-33-4	Lacitic acid	2-7 %	Xi R38-41
	68920-66-1	C16-C18 Fatty alcohol, ethoxylated	2-7 %	
203-808-3	110-85-0	piperazine	1-5 %	Xn, C R62-63-34-42/43
200-449-4	60-00-4	Ethylenediaminetetraacetic acid	1-5 %	Xi R36
-	68515-73-1	Alkylpolyglycosid	1-5 %	Xi R41

Full text of each relevant R phrase can be found in heading 16.

4. First aid measures**General information**

Take off immediately all contaminated clothing.

After inhalation

In case of inhalation of aerosols/spray mist/splash spots: Consult physician. Provide fresh air.

After contact with skin

After contact with skin, wash immediately with: Water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink large quantities of water. Do not induce vomiting. Consult physician.

5. Fire-fighting measures**Suitable extinguishing media**

Water. Foam. Atomized water.

Special exposure hazards arising from substance or preparation itself, combustion products, resulting gases

STAMMOPUR DR 8

Print date: 25.02.2010

No.: 83005

Page 2 of 4

Can be released in case of fire: Nitrogen oxides (NOx). Carbon dioxide (CO2).

Special protective equipment for fire-fighters

Special protective equipment for fire-fighters: Use appropriate respiratory protection. In case of fire and/or explosion do not breathe fumes.

Additional information

Material is not combustible. Extinguishing materials should be selected according to the surrounding area.

6. Accidental release measures**Personal precautions**

Keep away from unprotected people. Keep upwind. Wear respiratory protection when in the presence of vapour, dust, and aerosols. Guide people to safety.

Environmental precautions

Do not empty into drains or the aquatic environment. Prevent spreading over great surfaces (e.g. by damming or installing oil booms).

Methods for cleaning up/taking up

Clean contaminated articles and floor according to the environmental legislation. Treat the assimilated material according to the section on waste disposal. Suitable absorbing material: Sand Universal binding agent. earth. Sawdust.

7. Handling and storage**Handling****Advice on safe handling**

It is recommended to organise all working processes in order to exclude the following: skin contact. Eye contact.

Advice on protection against fire and explosion

Product is not: Oxidizing. Flammable. Explosive.

Storage**Requirements for storage rooms and vessels**

Store only in original container.

Keep away from food, drink and animal feedingstuffs.

Storageclass (VCI) : LGK 8 B

8. Exposure controls/personal protection**Exposure limit values****Occupational exposure limits**

CAS No.	Substance	ml/m ³	mg/m ³	f/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5	.	TWA (8 h)	
		15	101.2	.	STEL (15 min)	
110-85-0	Piperazine	-	0.1	.	TWA (8 h)	
		-	0.3	.	STEL (15 min)	

Exposure controls**Occupational exposure controls**

Refer to chapter 7. No further action is necessary.

Protective and hygiene measures

Do not eat, drink, smoke or sneeze at the workplace.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Respiratory protection

Respiratory protection not required.

Hand protection

Suitable material: PVC (Polyvinyl chloride). PE (polyethylene). NR (Natural rubber (Caoutchouc), Natural latex). CR (polychloroprenes, Chloroprene rubber). NBR (Nitrile rubber). Butyl rubber. FKM (Fluoroelastomer (Viton)). penetration time (maximum wearing period): >480 min. Breakthrough times and swelling characteristics of the material must be taken into consideration.

Eye protection

Framed glasses.

Skin protection

Lab apron.

STAMMOPUR DR 8

Print date: 25.02.2010

No.: 83005

Page 3 of 4

9. Physical and chemical properties**General information**

Physical state : liquid
Colour : clear yellow
Odour : characteristic

Important health, safety and environmental information

pH-Value (at 20 °C) : in delivery condition: 10,0 Test method
DGF H-III 1

Changes in the physical state

Melting point : -20 °C
Boiling point : 100 °C
Sublimation point : n.a.
Softening point : n.a.
Flash point : non-flammable

Explosive properties

not Explosive.

Oxidizing properties

not oxidizing.

Density (at 20 °C) : 1,02 g/cm³ DIN 12791
Water solubility (at 20 °C) : complete miscible

10. Stability and reactivity**Materials to avoid**

acid, concentrated.

Hazardous decomposition products

None, in case of proper use.

11. Toxicological information**Acute toxicity**

Acute toxicity, oral LD50: 2000-5000 mg/kg Rat.

Corrosive and irritant effects

Irritant effect on the skin: irritant. Irritant effect on the eye: corrosive.

Sensitising effects

no danger of sensitization.

12. Ecological information**Ecotoxicity**

Technically correct releases of minimal concentrations to adapted biological sewage treatment facility, will not disturb the biodegradability of activated sludge.

Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

13. Disposal considerations**Advice on disposal**

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Contaminated packaging

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning.

14. Transport information**Land transport (ADR/RID)**

ADR/RID class : 8 UN number : 1903 ADR/RID packing group : III
Hazard-no. : 80 Hazard label : 8 Classification code : C9

Description of the goods

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Polyamines, Didecylmethylammoniumpropionate, solution)

Other applicable information (land transport)

Transport-category: 3 *: E

STAMMOPUR DR 8

Print date: 25.02.2010

No.: 83005

Page 4 of 4

Marine transport

IMDG code : 8 UN number : 1903 Hazard label : 8 IMDG packing group : III
EmS : F-A, S-B Marine pollutant : no

Description of the goods

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (POLYAMINES, DIDECYLMETHYLAMMONIUMPROPIONATE, SOLUTION)

Air transport

ICAO/IATA-DGR : 8 UN/ID number : 1903 Hazard label : 8 ICAO packing group : III

Description of the goods

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Polyamines, Didecylmethylammoniumpropionate, solution)

15. Regulatory information**Labelling**

Danger symbols : C - Corrosive

Hazardous components which must be listed on the label

N,N-Bis(3-aminopropyl)dodecylamine
Didecylmethylammoniumpropionate

R phrases

22 Harmful if swallowed.
34 Causes burns.

S phrases

02 Keep out of the reach of children.
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
28 After contact with skin, wash immediately with plenty of Water.
36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

EU regulatory information

1999/13/EC (VOC) : 35 % (357 g/l)

National regulatory information

Water contaminating class (D) : 2 - water contaminating

16. Other information**Full text of R-phrases referred to under sections 2 and 3**

22 Harmful if swallowed.
34 Causes burns.
35 Causes severe burns.
36 Irritating to eyes.
38 Irritating to skin.
41 Risk of serious damage to eyes.
42/43 May cause sensitization by inhalation and skin contact.
50 Very toxic to aquatic organisms.
62 Possible risk of impaired fertility.
63 Possible risk of harm to the unborn child.

Other data

Training instructions: Notice the directions for use on the label.

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

Changes

* Data changed from previous versions

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)